COMPLETE LISTING OF PENDING CLAIMS

1. (Currently amended) A compound of the formula



where a wavy line represents a bond in the up or in the down configuration,

a dashed arrow represents a bond in the down configuration,

a solid arrow represents a bond in the up configuration,

$\mathbf{R_1}$ is H, methyl, or ethyl, fluoro-substituted methyl or fluoro-substituted ethyl;

$\mathbf{R_2}$ is *normal* alkyl of 1 to 4 carbons, fluoro-substituted *normal* alkyl of 1 to 4 carbons, CH_2OCH_3, CH_2-O-CH_2-CH_3, CH_2-O-CH_2-OCH_3, CH_2-CH_2-O-CH_3, CH_2SCH_3, CH_2-S-CH_2-CH_3, CH_2-S-CH_2-OCH_3, CH_2-CH_2-S-CH_3, CH_2-S-CH_2-S-CH_3, CH_2-O-CH_2-S-CH_3, CH_2NHCH_3, CH_2-NH-CH_2-CH_3, CH_2-NH-CH_2-OCH_3, CH_2-CH_2-NH-CH_3, CH_2-O-CH_2-$NHCH_3$;

$\mathbf{R_3}$ is H or F;

$\mathbf{R_4}$ is H, alkyl of 1 to 3 carbons;

$\mathbf{R}_5$ is H, alkyl of 1 to 6 carbons, ~~OCH_2OR_6 or OCH_2OCOR_6~~ $\underline{CH_2OR_6}$ $\underline{\text{or } CH_2OCOR_6}$ where $\mathbf{R}_6$ is alkyl of 1 to 3 carbons, and

R is selected from the groups consisting of the radicals defined by **formulas (a)** ~~through (f)~~ and (b)



Formula (a)



Formula (b)



Formula (c)



Formula (d)



Formula (e)



Formula (f)

where the dashed line in a ring represents a bond, or absence of a bond,

a * denotes a ring carbon to which the pentadienoyl-cyclopropyl group is attached, with the proviso that the pentadienoyl-cyclopropyl group is attached to only one carbon on the ring;

~~$\mathbf{X}_1$ is O or S attached to the adjacent carbon with a double bond, or $\mathbf{X}_1$ represents two hydrogens or $\mathbf{R}_7$ groups attached to the adjacent carbon;~~

~~$\mathbf{X}_2$ is O or S;~~

m is an integer having the values 0 to 6;

n is an integer having the values 0 to 3;

o is an integer having the values 0 or 1;

$\mathbf{R}_7$ is independently H, alkyl of 1 to 6 carbons, F, Cl, Br or I[[;]], and

$\mathbf{R_8}$ is independently H, alkyl of 1 to 6 carbons, F, Cl, Br, I, OC_{1-6}alkyl or SC_{1-6}alkyl;

~~$\mathbf{R_9}$ is H or alkyl of 1 to 6 carbons, or a pharmaceutically acceptable salt of said compound~~.

2. (original) A compound in accordance with Claim 1 where $\mathbf{R_2}$ is CH_2OCH_3 or $CH_2OCH_2CH_3$.

3. (original) A compound in accordance with Claim 1 where $\mathbf{R_7}$ is alkyl of 1 to 6 carbons.

4. (original) A compound in accordance with Claim 1 where $\mathbf{R_8}$ is H or alkyl of 1 to 6 carbons.

5. (original) A compound in accordance with Claim 1 where **R** is represented by **formula (a)**.

6. (original) A compound in accordance with Claim 5 where the dashed line in **formula (a)** represents absence of a bond, and where **o** is one (1).

7. (original) A compound in accordance with Claim 6 where $\mathbf{R_2}$ is CH_2OCH_3 or $CH_2OCH_2CH_3$.

8. (original) A compound in accordance with Claim 6 where $\mathbf{R_7}$ is alkyl of 1 to 6 carbons.

9. (original) A compound in accordance with Claim 6 where $\mathbf{R_8}$ is H or alkyl of 1 to 6 carbons.

10. (original) A compound in accordance with Claim 1 where **R** is represented by **formula (b)**.

11. (original) A compound in accordance with Claim 10 where $\mathbf{R_2}$ is CH_2OCH_3 or $CH_2OCH_2CH_3$.

12. (original) A compound in accordance with Claim 10 where $\mathbf{R_7}$ is alkyl of 1 to 6 carbons.

13. (original) A compound in accordance with Claim 10 where $\mathbf{R_8}$ is H or alkyl of 1 to 6 carbons.

14. (cancelled)

15. (cancelled)

16. (cancelled)

17. (cancelled)

18. (currently amended)) A compound of the formula



where a wavy line represents a bond in the up or in the down configuration,

a dashed arrow represents a bond in the down configuration,

a solid arrow represents a bond in the up configuration,

$\mathbf{R_1}$ is H, methyl, or ethyl, fluoro-substituted methyl or fluoro-substituted ethyl;

$\mathbf{R_{10}}$ is CH_3, CH_2-CH_3, or CH_2-OCH_3,

$\mathbf{R_3}$ is H or F;

$\mathbf{R_4}$ is H, alkyl of 1 to 3 carbons;

$\mathbf{R_5}$ is H, alkyl of 1 to 6 carbons, ~~OCH_2OR_6 or OCH_2OCOR_6~~ $\underline{CH_2OR_6}$ or $\underline{CH_2OCOR_6}$ where $\mathbf{R_6}$ is alkyl of 1 to 3 carbons, and

R is selected from the groups consisting of the radicals defined by **formulas (g)** and **(h)**



formula (g)



formula (h)

where a * denotes a ring carbon to which the pentadienoyl-cyclopropyl group is attached, with the proviso that the pentadienoyl-cyclopropyl group is attached to only one carbon on the ring;

m is an integer having the values 0 to 8;

n is an integer having the values 0 to 3;

$\mathbf{R_7}$ is independently H, alkyl of 1 to 6 carbons, F, Cl, Br or I;

$\mathbf{R_8}$ is independently H, alkyl of 1 to 6 carbons, F, Cl, Br, I, $OC_{1\text{-}6}$alkyl or $SC_{1\text{-}6}$alkyl, or a pharmaceutically acceptable salt of said compound.

19. (original) A compound in accordance with Claim 18 where **R** is represented by **formula (g).**

20. (original) A compound in accordance with Claim 19 where **R** is represented by the formula



where the * denotes a ring carbon to which the pentadienoyl-cyclopropyl group is attached.

21. (original) A compound in accordance with Claim 18 where **R** is represented by the formula



where the * denotes a ring carbon to which the pentadienoyl-cyclopropyl group is attached.

22. (currently amended) A compound of the formula



where a wavy line represents a bond in the up or in the down configuration,

a dashed arrow represents a bond in the down configuration,

a solid arrow represents a bond in the up configuration,

$\mathbf{R}_{10}$ is methyl or ethyl, and

$\mathbf{R}_5$ is H, alkyl of 1 to 6 carbons, ~~OCH_2OR_6 or OCH_2OCOR_6~~ CH_2OR_6 or CH_2OCOR_6 where $\mathbf{R}_6$ is alkyl of 1 to 3 carbons, or a pharmaceutically acceptable salt of said compound.

23. (original) A compound in accordance with Claim 22 where the wavy line represents a bond in the up configuration.

24. (original) A compound in accordance with Claim 23 where $\mathbf{R}_{10}$ is methyl.

25. (original) A compound in accordance with Claim 24 where $\mathbf{R}_5$ is H, ethyl, or a pharmaceutically acceptable salt of said compound.

26. (original) A compound in accordance with Claim 23 where $\mathbf{R}_{10}$ is ethyl.

27. (original) A compound in accordance with Claim 26 where $\mathbf{R}_5$ is H, ethyl, or a pharmaceutically acceptable salt of said compound.

28. (original) A compound in accordance with Claim 22 where the wavy line represents a bond in the down configuration.

29. (original) A compound in accordance with Claim 28 where $\mathbf{R}_{10}$ is methyl.

30. (original) A compound in accordance with Claim 29 where $\mathbf{R}_5$ is H, ethyl, or a pharmaceutically acceptable salt of said compound.

31. (original) A compound in accordance with Claim 28 where $\mathbf{R}_{10}$ is ethyl.

32. (original) A compound in accordance with Claim 31 where $\mathbf{R}_5$ is H, ethyl, or a pharmaceutically acceptable salt of said compound.

33. (currently amended) A compound of the formula



where a wavy line represents a bond in the up or in the down configuration,

a dashed arrow represents a bond in the down configuration,

a solid arrow represents a bond in the up configuration,

$\mathbf{R}_{10}$ is methyl or ethyl, and

$\mathbf{R}_5$ is H, alkyl of 1 to 6 carbons, ~~OCH_2OR_6 or OCH_2OCOR_6~~ $\underline{CH_2OR_6}$ or $\underline{CH_2OCOR_6}$ where $\mathbf{R}_6$ is alkyl of 1 to 3 carbons, or a pharmaceutically acceptable salt of said compound.

34. (original) A compound in accordance with Claim 33 where the wavy line represents a bond in the up configuration.

35. (original) A compound in accordance with Claim 34 where $\mathbf{R}_{10}$ is methyl.

36. (original) A compound in accordance with Claim 35 where $\mathbf{R}_5$ is H, ethyl, or a pharmaceutically acceptable salt of said compound.

37. (original) A compound in accordance with Claim 34 where $\mathbf{R}_{10}$ is ethyl.

38. (original) A compound in accordance with Claim 37 where $\mathbf{R}_5$ is H, ethyl, or a pharmaceutically acceptable salt of said compound.

39. (original) A compound in accordance with Claim 33 where the wavy line represents a bond in the down configuration.

40. (original) A compound in accordance with Claim 39 where $\mathbf{R}_{10}$ is methyl.

41. (original) A compound in accordance with Claim 40 where $\mathbf{R}_5$ is H, ethyl, or a pharmaceutically acceptable salt of said compound.

42. (currently amended) A process for administering to a diabetic mammal to reduce the serum glucose level of said mammal a compound of the formula



where a wavy line represents a bond in the up or in the down configuration,

a dashed arrow represents a bond in the down configuration,

a solid arrow represents a bond in the up configuration,

$\mathbf{R}_1$ is H, methyl, or ethyl, fluoro-substituted methyl or fluoro-substituted ethyl;

$\mathbf{R}_2$ is *normal* alkyl of 1 to 4 carbons, fluoro-substituted *normal* alkyl of 1 to 4 carbons, CH_2OCH_3, CH_2-O-CH_2-CH_3, CH_2-O-CH_2-OCH_3, CH_2-

CH_2-O-CH_3, CH_2SCH_3, CH_2-S-CH_2-CH_3, CH_2-S-CH_2-OCH_3, CH_2-CH_2-S-CH_3, CH_2-S-CH_2-S-CH_3, CH_2-O-CH_2-S-CH_3, CH_2NHCH_3, CH_2-NH-CH_2-CH_3, CH_2-NH-CH_2-OCH_3, CH_2-CH_2-NH-CH_3, CH_2-O-CH_2-$NHCH_3$;

$\mathbf{R_3}$ is H or F;

$\mathbf{R_4}$ is H, alkyl of 1 to 3 carbons;

$\mathbf{R_5}$ is H, alkyl of 1 to 6 carbons, ~~OCH_2OR_6 or OCH_2OCOR_6~~ $\underline{CH_2OR_6}$ $\underline{\text{or } CH_2OCOR_6}$ where $\mathbf{R_6}$ is alkyl of 1 to 3 carbons, and

R is selected from the groups consisting of the radicals defined by **formulas (a)** ~~through (f)~~ **and (b)**



Formula (a)



Formula (b)



Formula (c)



Formula (d)



Formula (e)



Formula (f)

where the dashed line in a ring represents a bond, or absence of a bond,

a * denotes a ring carbon to which the pentadienoyl-cyclopropyl group is attached, with the proviso that the pentadienoyl-cyclopropyl group is attached to only one carbon on the ring;

~~X_1 is O or S attached to the adjacent carbon with a double bond, or X_1 represents two hydrogens or R_7 groups attached to the adjacent carbon;~~

~~X_2 is O or S;~~

m is an integer having the values 0 to 6;

n is an integer having the values 0 to 3;

o is an integer having the values 0 or 1;

R_7 is independently H, alkyl of 1 to 6 carbons, F, Cl, Br or I[[;]], and

R_8 is independently H, alkyl of 1 to 6 carbons, F, Cl, Br, I, OC_{1-6}alkyl or SC_{1-6}alkyl;

~~R_9 is H or alkyl of 1 to 6 carbons, or a pharmaceutically acceptable salt of said compound~~.

43. (original) A process in accordance with Claim 42 where the compound used in the process is in accordance with the formula



where R_{10} is methyl or ethyl.

44. (original) A process in accordance with Claim 42 where the compound used in the process is in accordance with the formula



where $\mathbf{R}_{10}$ is methyl or ethyl.

45. (previously submitted) A compound of the formula



46. (previously submitted) A process in accordance with Claim 42 where the compound used has the formula


O
H
O
OH